

WHAT IS CLAIMED IS:

1. a suede-finished leather-like sheet which comprises a fiber-entangled nonwoven fabric comprising a layer (I) made of a microfine fiber (A) having an average fineness of 0.5 dtex or less and a layer (II) made of a microfine fiber (B) having an average fineness equal to or less than that of the microfine fiber (A), and a polymeric elastomer impregnated in the fiber-entangled nonwoven fabric,

the layers (I) and (II) being superposed one on the other and entangled into an integral composite such that a ratio of the microfine fiber (A) to the microfine fiber (B) is 10/90 to 90/10 by mass;

the surface of the layer (I) being a napped surface made mainly of a raised microfine fiber (A);

the microfine fiber (A) being formed by converting a microfine fiber-forming fiber (a) into microfine fibers, said microfine fiber-forming fibers (a) satisfying the formulae (1) and (2):

$$130 < S_a < 200 \quad (1)$$

$$F_a < 0.8 \quad (2)$$

wherein S_a is an average elongation at break (%) and F_a is an average tenacity (cN/dtex) of the microfine fiber-forming fiber (a); and

the microfine fiber (B) being formed by converting a microfine fiber-forming fiber (b) into microfine fibers, said microfine fiber-forming fiber (b) satisfying the formulae (3) and (4):

$$30 < S_b < 90 \quad (3)$$

$$1.5 < F_b \quad (4)$$

wherein S_b is an average elongation at break (%) and F_b is an average tenacity (cN/dtex) of the microfine fiber-forming fiber (b).

2. The suede-finished leather-like sheet according to claim 1, wherein the microfine fiber (A) satisfies the formulae (5) and (6):

$$130 < S_A < 200 \quad (5)$$

$$FA < 1.5 \quad (6)$$

wherein SA is an average elongation at break (%) and FA is an average tenacity (cN/dtex) of the microfine fiber (A), and the microfine fiber (B) satisfies the formulae (7) and (8):

$$30 < SB < 90 \quad (7)$$

$$2.0 < FB \quad (8)$$

wherein SB is an average elongation at break (%) and FB is an average tenacity (cN/dtex) of the microfine fiber (B).

3. The suede-finished leather-like sheet according to claim 1, wherein each of the microfine fiber (A) and the microfine fiber (B) is made of at least one polymer selected from the group consisting of polyamides, copolymers mainly based on polyamide, aromatic or aliphatic polyesters, copolymers mainly based on polyester, and acrylic polymers.

4. The suede-finished leather-like sheet according to claim 1, wherein each of the microfine fiber (A) and the microfine fiber (B) is made of at least one polyamide.

5. A suede-finished leather-like sheet which comprises a fiber-entangled nonwoven fabric comprising a layer (I) made of a microfine fiber (A) having an average fineness of 0.5 dtex or less and a layer (II) made of a microfine fiber (B) having an average fineness equal to or less than that of the microfine fiber (A), and a polymeric elastomer impregnated in the fiber-entangled nonwoven fabric,

the layers (I) and (II) being superposed one on the other and entangled into an integral composite such that a ratio of the microfine fiber (A) to the microfine fiber (B) is 10/90 to 90/10 by mass;

the surface of the layer (I) being a napped surface made mainly of a raised microfine fiber (A);

the microfine fiber (A) satisfying the formulae (5) and (6):

$$130 < SA < 200 \quad (5)$$

$$FA < 1.5 \quad (6)$$

wherein SA is an average elongation at break (%) and FA is an average tenacity (cN/dtex) of the microfibrillar fiber (A); and

the microfibrillar fiber (B) satisfying the formulae (7) and (8):

$$30 < SB < 90 \quad (7)$$

$$2.0 < FB \quad (8)$$

wherein SB is an average elongation at break (%) and FB is an average tenacity (cN/dtex) of the microfibrillar fiber (B).

6. The suede-finished leather-like sheet according to claim 5, wherein each of the microfibrillar fiber (A) and the microfibrillar fiber (B) is made of at least one polymer selected from the group consisting of polyamides, copolymers mainly based on polyamide, aromatic or aliphatic polyesters, copolymers mainly based on polyester, and acrylic polymers.

7. The suede-finished leather-like sheet according to claim 5, wherein each of the microfibrillar fiber (A) and the microfibrillar fiber (B) is made of at least one polyamide.

8. A process for producing a suede-finished leather-like sheet, comprising the steps of:

(i) producing a web (I) made of staple of a microfibrillar fiber-forming fiber

(a) satisfying the formulae (1) and (2):

$$130 < Sa < 200 \quad (1)$$

$$Fa < 0.8 \quad (2)$$

wherein Sa is an average elongation at break (%) and Fa is an average tenacity (cN/dtex) of the microfibrillar fiber-forming fiber (a);

(ii) producing a web (II) made of staple of a microfibrillar fiber-forming fiber (b) satisfying the formulae (3) and (4):

$$30 < Sb < 90 \quad (3)$$

$$1.5 < Fb \quad (4)$$

wherein Sb is an average elongation at break (%) and Fb is an average tenacity

(cN/dtex) of the microfine fiber-forming fiber (b);

(iii) entangling the webs (I) and (II) to form a fiber-entangled nonwoven fabric;

5 (iv) impregnating a solution or dispersion of a polymeric elastomer into the fiber-entangled nonwoven fabric and solidifying the impregnated polymeric elastomer;

(v) forming a leather-like sheet substrate by converting the microfine fiber-forming fiber (a) into a microfine fiber (A) having an average fineness of 0.5 dtex or less, and converting the microfine fiber-forming fiber (b) into a
10 microfine fiber (B) having an average fineness equal to or less than that of the microfine fiber (A);

(vi) napping a surface of the web (I) of the leather-like sheet substrate to form a raised fiber made mainly of the microfine fiber (A) on the surface;
and

15 (vii) dyeing the napped leather-like sheet substrate to form the suede-finished leather-like sheet.

9. The suede-finished leather-like sheet according to claim 1, which forms at least a part of a glove.

10. The suede-finished leather-like sheet according to claim 5, which
20 forms at least a part of a glove.